


## EQUIPMENT SPECIFICATIONS

### Container Fleet

Our worldwide fleet includes more than 23,000 containers suitable for the safe transport of virtually any commodity, from frozen seafood to electronic equipment, from heavy machinery to fresh produce.


Listed below are the specifications for the most commonly used containers.



### Dry Cargo 20' *For inland points, please confirm equipment availability prior to booking.*

EXTERIOR			INTERIOR			DOOR OPENING		CAPACITY	TARE WT.
LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	WIDTH*	HEIGHT		
19' 10.5"	8' 0"	8' 6"	19' 4"	7' 8.5"	7' 10"	7' 8.25"	7' 5.625"	1,171 cu. ft.	4,960 lb
6.06 m	2.43 m	2.59 m	5.89 m	2.35 m	2.38 m	2.34 m	2.27 m	33.1 cu. m	2,250 kg


*\*7' 8.25" = 62% of 20' dry cargo steel containers — 7' 8.06" (2.34 m) = 38% of the fleet's door opening width*



### Dry Cargo 40'

EXTERIOR			INTERIOR			DOOR OPENING		CAPACITY	TARE WT.
LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	WIDTH*	HEIGHT		
40' 0"	8' 0"	8' 6"	39' 5.688"	7' 8.5"	7' 10.25"	7' 8.25"	7' 5.625"	2,390 cu. ft.	8,200 lb
12.19 m	2.43 m	2.59 m	12.03 m	2.35 m	2.39 m	2.34 m	2.27 m	67.6 cu. m	3,720 kg

*\*7' 8.25" = 95% of 40' dry cargo steel containers — 7' 8.06" (2.34 m) = 5% of the fleet's door opening width*



### Dry Cargo High-Cube 40'


EXTERIOR			INTERIOR			DOOR OPENING		CAPACITY	TARE WT.
LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	WIDTH*	HEIGHT		
40' 0"	8' 0"	9' 6"	39' 5.688"	7' 8.50"	8' 10.188"	7' 8.0625"	8' 5.625"	2,693 cu. ft.	8,600 lb
12.19 m	2.43 m	2.89 m	12.03 m	2.35 m	2.69 m	2.34 m	2.58 m	76.3 cu. m	3,900 kg

*\*7' 8.0625" = 72% of 40' dry cargo high-cube steel containers — 7' 8.25" (2.34 m) = 28% of the fleet's door opening width*

*All specifications are for Horizon Lines of Guam, LLC equipment. Dimensions of any other equipment provided by Horizon Lines of Guam LLC may differ slightly.*

*(continued on following page)*

## EQUIPMENT SPECIFICATIONS (continued)




### Reefer High-Cube 40'

Controlled atmosphere and humidity-controlled reefers available

EXTERIOR			INTERIOR			DOOR OPENING		CAPACITY	TARE WT. *
LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	WIDTH	HEIGHT		
40' 0"	8' 0"	9' 6"	38' .1875"	7' 6.1875"	8' 3.125"	7' 6"	8' 2"	2,398 cu. ft.	10,890 lb
12.19 m	2.44 m	2.90 m	11.59 m	2.29 m	2.52 m	2.29 m	2.50 m	67.9 cu. m	4,940 kg

\*Tare weight varies depending on reefer unit type & container manufacturer. Consideration should be given for Genset weight (see table below).



### Reefer High-Cube 20'

EXTERIOR			INTERIOR			DOOR OPENING		CAPACITY*	TARE WT. *
LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	WIDTH	HEIGHT		
19' 10.5"	8' 0"	9' 6"	17' 10.9"	7' 6"	8' 5.5"	7' 6"	8' 5"	1,140 cu. ft.	7,300 lb
6.058 m	2.438 m	2.896 m	5.456 m	2.294 m	2.578 m	2.290 m	2.569 m	32.3 cu. m	3,310 kg

\* Cargo weight cannot exceed legal road restrictions.

\*\* Tare weight varies depending on reefer unit type & container manufacturer. Consideration should be given for Genset weight (see table below).

### Reefer Genset Tare Weight For Reefer Containers Only

UNDERSLUNG GENSET 50-Gallon Tank		UNDERSLUNG GENSET 72-Gallon Tank		UNDERSLUNG GENSET 100-Gallon Tank	
WITHOUT FUEL	WITH FUEL	WITHOUT FUEL	WITH FUEL	WITHOUT FUEL	WITH FUEL
1,320 – 1,578 lb	1,670 – 1,928 lb	1,340 – 1,500 lb	1,845 – 2,005 lb	1,360 – 1,520 lb	2,040 – 2,298 lb
599 – 716 kg	757 – 875 kg	608 – 680 kg	837 – 909 kg	617 – 690 kg	926 – 1,043 kg

All specifications are for owned or long-term leased equipment. Dimensions of short-term leased equipment may differ slightly.